



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/644,019	08/20/2003	David P. Wiczorek	51252-5029-01	5187

7590 09/24/2007
Siemens Corporation
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830

EXAMINER

KIM, CHRISTOPHER S

ART UNIT	PAPER NUMBER
----------	--------------

3752

MAIL DATE	DELIVERY MODE
-----------	---------------

09/24/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/644,019

Applicant(s)

WIECZOREK ET AL.

Examiner

Christopher S. Kim

Art Unit

3752

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 September 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 6-9, 20, 22 and 24-29 is/are pending in the application.
- 4a) Of the above claim(s) 6-9, 28 and 29 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 20, 22 and 24-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on September 11, 2007 has been entered.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Election/Restrictions

3. Claims 6-9, 28 and 29 remain withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected Invention and/or Species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on June 9, 2005.

Claim Objections

4. Claims 20 and 22 are objected to because of the following informalities: in claim 20, line 21, "at least one" should be deleted; in claim 22, line 25, "at least one" should be deleted. Appropriate correction is required.

Claim Rejections - 35 USC § 103

5. Claims 20, 22, 24-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanasawa et al. (4,365,746).

Tanasawa discloses a method comprising:

- providing a needle 6;
- selecting a body 1 to surround needle 6 and form a body passage 8, 9;
- providing a seat 4;
- configuring at least one cut-out 7.

Tanasawa discloses the limitations of the claimed invention with the exception of the average cross sectional area of the body passage and the cross sectional area of the needle. It would have been obvious to a person having ordinary skill in the art at the time of the invention to have provided an annulus outer diameter that is no less than 100% greater than the inner diameter and a body passage area less than 2.25 time the area of the needle in the device of Tanasawa to control fuel flow volume, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

6. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Horsting (5,207,384).

Horsting discloses a method comprising:

- providing a needle 18;

selecting a body to surround the needle 18 and form a body passage (see figure 1);

providing a seat 22;

configuring at least one cut-out 34.

Horsting discloses the limitations of the claimed invention with the exception of the average cross sectional area of the body passage and the cross sectional area of the needle. It would have been obvious to a person having ordinary skill in the art at the time of the invention to have provided a body passage area less than 2.25 time the area of the needle in the device of Horsting to control fuel flow volume, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Response to Arguments

7. Applicant's arguments filed September 11, 2007 have been fully considered but they are not persuasive.

Applicant argued that neither Tanasawa nor Horsting teaches a seat a cut-out in the first surface to form a volume that extends into an interior of the seat.

Tanasawa discloses providing a seat 4 and configuring at least one cut-out 7.

Horsting discloses providing a seat 22 and configuring at least one cut-out 34.

Conclusion

8. All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571) 272-4905. The examiner can normally be reached on Monday - Friday, 8:30 AM - 5:00 PM.

Art Unit: 3752

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Christopher S. Kim
Primary Examiner
Art Unit 3752

CK